L Number	Hits	Search Text	DB	Time stamp
1	4983753	@ad<20010214 380/262.ccls.	USPAT;	2004/09/22 12:18
	!		US-PGPUB;	
			EPO;	
_			IBM_TDB	
2	4983768	@ad<20010214 380/43.ccls.	USPAT;	2004/09/22 12:18
			US-PGPUB;	
			EPO; IBM TDB	:
3	241	@ad<20010214 and 380/43.ccls.	USPAT;	2004/09/22 12:18
	0.11		US-PGPUB;	2001/03/22 12:10
			EPO;	
			IBM_TDB	
4	172	@ad<20010214 and 380/262.ccls.	USPAT;	2004/09/22 12:18
			US-PGPUB;	
			EPO;	
_	105	//0-4/00010014 4 200/42 1 -)	IBM_TDB	0004/00/00 10 10
5	125	((@ad<20010214 and 380/43.ccls.) (@ad<20010214 and 380/262.ccls.)) and	USPAT; US-PGPUB;	2004/09/22 12:19
		block with key	EPO;	
	ľ	DIOCK WICH Key	IBM TDB	
6	96	(((@ad<20010214 and 380/43.ccls.)	USPAT;	2004/09/22 12:19
		(@ad<20010214 and 380/262.ccls.)) and	US-PGPUB;	
		block with key) and (select\$4 different	EPO;	
		choos\$4) with key	IBM_TDB	
7	76		USPAT;	2004/09/22 12:19
		(@ad<20010214 and 380/262.ccls.)) and	US-PGPUB;	
		block with key) and (select\$4 different	EPO;	
	36	choos\$4) with key) and keys! @ad<20010214 and key with previous with	IBM_TDB USPAT;	2004/08/09 10:20
_	30	block same encrypt\$5	US-PGPUB;	2004/06/09 10:20
		DIOON DAME CHETYPEYS	EPO;	
			IBM TDB	
	359	@ad<20010214 and key with block same	USPAT;	2004/08/09 10:21
		chain\$3	US-PGPUB;	
			EPO;	
			IBM_TDB	
-	126	(@ad<20010214 and key with block same	USPAT;	2004/08/09 10:24
		chain\$3) and key with (pool bank storage	US-PGPUB;	
		list)	EPO; IBM TDB	
_	96	((@ad<20010214 and key with block same	USPAT;	2004/08/09 10:22
		chain\$3) and key with (pool bank storage	US-PGPUB;	
		list)) and bits	EPO;	
			IBM_TDB	
-	54	, , , =	USPAT;	2004/08/09 10:26
		chain\$3) and key with (pool bank storage	US-PGPUB;	
		list)) and bits) and (choos\$5 select\$2)	EPO;	
_	31	with key	IBM_TDB USPAT;	2004/09/00 10:22
-	31	(((@ad<20010214 and key with block same chain\$3) and key with (pool bank storage	USPAT; US-PGPUB;	2004/08/09 10:33
		list)) and bits) and (choos\$5 select\$2)	EPO;	
		near2 key	IBM TDB	
~	8	(((@ad<20010214 and key with block same	USPAT;	2004/08/09 10:36
		chain\$3) and key with (pool bank storage	US-PGPUB;	
		list)) and bits) and 380/37.ccls.	EPO;	
			IBM_TDB	
-	223	@ad<20010214 and 380/37.ccls.	USPAT;	2004/08/09 13:47
			US-PGPUB;	
			EPO;	
_	90	(@ad<20010214 and 380/37.ccls.) and key	IBM_TDB USPAT;	2004/08/09 10:39
[90	near2 (bank database table stor\$5)	US-PGPUB;	2004/00/09 10:39
			EPO;	
			IBM TDB	
-	49	(• · · · · · · · · · · · · · · · · · ·	USPĀT;	2004/08/09 12:04
		near2 (bank database table stora\$5)	US-PGPUB;	
			EPO;	
			IBM TDB	

-	4979810	@ad<20010214 key with based with block	USPAT;	2004/08/09 11:46
			US-PGPUB; EPO;	
		0 1.00010014	IBM_TDB	0001/00/00 11
_	537	@ad<20010214 and key with based with block	USPAT; US-PGPUB;	2004/08/09 11:46
			EPO;	
_	35	1 '-	IBM_TDB USPAT;	2004/08/09 12:04
		block) and different near2 key with block	US-PGPUB; EPO;	
			IBM_TDB	
-	206	ead<20010214 and cipher adj block adj chaining	USPAT; US-PGPUB;	2004/08/09 12:04
		-	EPO; IBM TDB	
_	88	(@ad<20010214 and cipher adj block adj	USPAT;	2004/08/09 12:05
		chaining) and key near2 (bank database table stora\$5)	US-PGPUB; EPO;	
			IBM_TDB	
_	59	((@ad<20010214 and cipher adj block adj chaining) and key near2 (bank database	USPAT; US-PGPUB;	2004/08/09 12:06
		table stora\$5)) and key near2 (choos\$5 select\$3 pick\$4 based)	EPO; IBM TDB	
-	59	((@ad<20010214 and cipher adj block adj	USPĀT;	2004/08/09 12:17
		chaining) and key near2 (bank database table stora\$5)) and key near2 (choos\$5	US-PGPUB; EPO;	
		select\$3 pick\$4 based chos\$4)	IBM_TDB	2004/20/20 10 00
-	8	((@ad<20010214 and cipher adj block adj chaining) and key near2 (bank database	USPAT; US-PGPUB;	2004/08/09 12:08
		table stora\$5)) and key near2 (choos\$5 select\$3 pick\$4 based chos\$4) with block	EPO; IBM TDB	
-	110	@ad<20010214 and selecting with encryption	USPĀT;	2004/08/09 13:23
		with key and block with key	US-PGPUB; EPO;	
_	13	5548648.URPN.	IBM_TDB USPAT	2004/08/09 12:53
_	3	("3798360" "5253294" "5305384").PN.	USPAT	2004/08/09 12:57
_	0	<pre>@ad<20010214 and encrypt\$2 near2 block near2 key same select\$2 near2 key near2</pre>	USPAT; US-PGPUB;	2004/08/09 13:24
		(previous prior)	EPO; IBM TDB	
_	0	@ad<20010214 and encrypt\$2 near2 block	USPĀT;	2004/08/09 13:25
		near2 key and select\$2 near2 key near2 (previous prior)	US-PGPUB; EPO;	
	E0		IBM_TDB	2004/00/00 12.22
-	58	<pre>@ad<20010214 and encrypt\$2 near2 block near2 key and select\$2 near2 key</pre>	USPAT; US-PGPUB;	2004/08/09 13:33
			EPO; IBM TDB	
-	26	@ad<20010214 and dynamic adj key same	USPAT;	2004/08/09 13:41
		encrypt\$5	US-PGPUB; EPO;	
_	89	@ad<20010214 and 380/274.ccls.	IBM_TDB USPAT;	2004/08/09 13:51
			US-PGPUB;	2004/08/09 13.31
			EPO; IBM TDB	
-	88	@ad<20010214 and cipher adj block adj	USPAT;	2004/08/10 08:24
		chaining and key near2 (bank table stora\$4 database)	US-PGPUB; EPO;	
_	1708	ead<20010214 and block and key near2 (bank	IBM_TDB USPAT;	2004/08/10 08:25
		table stora\$4 database) and key near2	US-PGPUB;	
		(depend\$4 base\$4)	EPO; IBM_TDB	
-	152	<pre>@ad<20010214 and block and key near2 (bank table stora\$4 database) and key near2</pre>	USPAT; US-PGPUB;	2004/08/10 08:32
		(depend\$4 base\$4) with block	EPO;	
			IBM_TDB	

-	348	<pre>@ad<20010214 and block with key with (previous preceding)</pre>	USPAT; US-PGPUB; EPO;	2004/08/10 08:33
-	206	(@ad<20010214 and block with key with (previous preceding)) and communication	IBM_TDB USPAT; US-PGPUB;	2004/08/10 08:33
-	85	@ad<20010214 and block with key with (previous preceding) near2 block	EPO; IBM_TDB USPAT; US-PGPUB;	2004/08/10 09:41
	16		EPO; IBM_TDB USPAT	2004/08/10 08:45
-	4	("5285497" "5351299" "5479512" "5517614").PN.	USPAT	2004/08/10 08:50
_	348	<pre>@ad<20010214 and block with key with (previous preceding)</pre>	USPAT; US-PGPUB; EPO; IBM TDB	2004/08/10 13:10
-	65036	"3" and (select\$5 choos\$3 pick\$2) with key	USPAT; US-PGPUB; EPO; IBM_TDB	2004/08/10 11:05
-	202	(@ad<20010214 and block with key with (previous preceding)) and (select\$5 choos\$3 pick\$2) with key	USPAT; US-PGPUB; EPO; IBM TDB	2004/08/10 11:06
	47	((@ad<20010214 and block with key with (previous preceding)) and (select\$5 choos\$3 pick\$2) with key) and key near2	USPĀT; US-PGPUB; EPO;	2004/08/10 11:55
-	46	(bank list database table) ((@ad<20010214 and block with key with (previous preceding)) and (select\$5 choos\$3 pick\$2) with key) and (713/\$.ccls. 380/\$.ccls.)	IBM_TDB USPAT; US-PGPUB; EPO; IBM TDB	2004/08/10 11:56
-	10 6	5488661.URPN.	USPAT USPAT	2004/08/10 12:18 2004/08/10 12:18
-	0 32	6731758.URPN. ("3798360" "4004089" "4316055" "4605820" "4607137" "4613901" "4641102" "4953208" "4991208" "5020106" "5195136" "5341425" "5341426" "5509073" "5533127" "5590194" "5621799" "5673319" "5680131" "5825879" "5852472"	USPAT USPAT	2004/08/10 12:49 2004/08/10 13:10
		"5862150" "5940509" "6005940" "6061449" "6118873" "6167136" "6345101" "6452959" "6453304" "6466669" "6477252").PN.		
-	4979998	@ad<20010214	USPAT; US-PGPUB; EPO; IBM TDB	2004/08/10 13:10
-	2	@ad<20010214 and key near2 dependent near2 previous	USPĀT; US-PGPUB; EPO;	2004/08/10 13:11
_	1	@ad<20010214 and key near2 dependent with previous and encryption	IBM_TDB USPAT; US-PGPUB; EPO;	2004/08/10 13:12
-	39	@ad<20010214 and key near2 dependent with block and encryption	IBM_TDB USPAT; US-PGPUB; EPO;	2004/08/10 14:06
_	107	((@ad<20010214 and block with key with (previous preceding)) and (select\$5 choos\$3 pick\$2) with key) and key near2	IBM_TDB USPAT; US-PGPUB; EPO;	2004/08/10 13:32
i		(bank list database table stor\$3)	IBM TDB	l J

-	60	(,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	USPAT;	2004/08/10 13:34
		(previous preceding)) and (select\$5	US-PGPUB;	
		choos\$3 pick\$2) with key) and key near2	EPO;	
		(bank list database table stor\$3)) not	IBM_TDB	
		(((@ad<20010214 and block with key with		
		(previous preceding)) and (select\$5		
		choos\$3 pick\$2) with key) and key near2		
	27	(bank list database table)) @ad<20010214 and block adj cipher and	HCDAM.	2004/08/10 13:35
-	21	select\$2 near2 key and plurality near2 key	USPAT; US-PGPUB;	2004/08/10 13:33
1		selective hears key and profactly hears key	EPO;	
			IBM TDB	
l <u> </u>	54	@ad<20010214 and block adj cipher and	USPAT;	2004/08/10 13:54
]	select\$2 near2 key and (plurality several	US-PGPUB;	2004/00/10 13:34
		many) near2 key	EPO;	
		many, model noy	IBM TDB	
_	27	(@ad<20010214 and block adj cipher and	USPAT;	2004/08/10 13:54
		select\$2 near2 key and (plurality several	US-PGPUB;	
		many) near2 key) not (@ad<20010214 and	EPO;	
		block adj cipher and select\$2 near2 key	IBM TDB	
		and plurality near2 key)	_	
-	244	@ad<20010214 and encryption and	USPAT;	2004/08/10 14:11
		(extract\$2 bits) near2 block and	US-PGPUB;	
		(plurality several many) near2 keys	EPO;	
			IBM_TDB	
₁	53	(@ad<20010214 and encryption and	USPAT;	2004/08/10 14:21
		(extract\$2 bits) near2 block and	US-PGPUB;	
		(plurality several many) near2 keys) and	EPO;	
		(previous prior preceding) near2 block	IBM_TDB	
-	267	, ,	USPAT;	2004/08/10 14:22
		with key with block and encryption	US-PGPUB;	
	į		EPO;	
	1.0	0 1.00010014 1 11166 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	IBM_TDB	0004/00/10 14 05
-	142	@ad<20010214 and (different change\$4)	USPAT;	2004/08/10 14:25
		near2 key with block and encryption	US-PGPUB;	
			EPO; IBM TDB	
_	130	@ad<20010214 and (different change\$4)	USPAT;	2004/08/10 14:31
	130	near2 key with block and encryption and	US-PGPUB;	2004/00/10 14:51
		bits	EPO;	
		2200	IBM TDB	
-	34	(@ad<20010214 and (different change\$4)	USPĀT;	2004/08/10 14:45
		near2 key with block and encryption and	US-PGPUB;	
		bits) and secure with communication	EPO;	
			IBM_TDB	
-	177		USPĀT;	2004/08/10 14:46
]		chaining and bits	US-PGPUB;	
			EPO;	
	_		IBM_TDB	000440045
 -	8	@ad<20010214 and cipher adj block adj	USPAT;	2004/08/10 14:47
	l	chaining and bits with extract	US-PGPUB;	
	Ì		EPO;	
_	10	Rad<20010214 and ginham add block add	IBM_TDB USPAT;	2004/08/10 14:47
1 -	18	<pre>@ad<20010214 and cipher adj block adj chaining and bits with extract\$2</pre>	USPAT; US-PGPUB;	2004/00/10 14:4/
		charming and bics with extracts2	EPO;	
			IBM TDB	
 _	35	@ad<20010214 and cipher adj block adj	USPAT;	2004/08/10 14:50
		chaining and bits and (plurality several	US-PGPUB;	2001,00,10 14.50
[many) near2 keys!	EPO;	
		4,	IBM TDB	
_	4983185	@ad<20010214	USPĀT;	2004/09/17 10:46
			US-PGPUB;	,
			EPO;	
			IBM_TDB	
-	225	@ad<20010214 and 380/37.ccls.	USPĀT;	2004/09/17 10:47
			US-PGPUB;	
			EPO;	
	L		IBM TDB	<u> </u>

-	25	(@ad<20010214 and 380/37.ccls.) and previous near2 block	USPAT; US-PGPUB; EPO;	2004/09/17 10:54
-	566	@ad<20010214 and different with key with block	IBM_TDB USPAT; US-PGPUB;	2004/09/17 10:55
-	46	@ad<20010214 and different with key with block and previous near2 block	EPO; IBM_TDB USPAT; US-PGPUB; EPO;	2004/09/17 11:00
-	4	@ad<20010214 and self near2 synchronizing near2 key	IBM_TDB USPAT; US-PGPUB; EPO;	2004/09/20 09:18
-	26 16	5365589.URPN. @ad<20010214 and key adj auto adj key	IBM_TDB USPAT USPAT; US-PGPUB;	2004/09/17 11:04 2004/09/20 09:17
-	1	6466669.pn.	EPO; IBM_TDB USPAT; US-PGPUB; EPO;	2004/09/20 13:37
-	11	(US-5365589-\$ or US-4694491-\$ or US-4078152-\$ or US-6459792-\$ or US-4074066-\$ or US-5548648-\$ or US-5003597-\$ or US-542705-\$ or US-6731758-\$ or US-5488661-\$ or	IBM_TDB USPAT	2004/09/22 08:56
-	2	US-4642424-\$).did. ((US-5365589-\$ or US-4694491-\$ or US-4078152-\$ or US-6459792-\$ or US-4074066-\$ or US-5548648-\$ or US-5003597-\$ or US-5442705-\$ or	USPAT; US-PGPUB; EPO; IBM_TDB	2004/09/22 08:58
	1	US-4078152-\$ or US-6459792-\$ or US-4074066-\$ or US-5548648-\$ or US-5003597-\$ or US-5442705-\$ or	USPAT; US-PGPUB; EPO; IBM_TDB	2004/09/22 09:00
-	1	US-4078152-\$ or US-6459792-\$ or US-4074066-\$ or US-5548648-\$ or	USPAT; US-PGPUB; EPO;	2004/09/22 09:00
	0	US-4078152-\$ or US-6459792-\$ or US-4074066-\$ or US-5548648-\$ or US-5003597-\$ or US-5442705-\$ or	USPAT; US-PGPUB; EPO; IBM_TDB	2004/09/22 09:01
_	4983734	US-6731758-\$ or US-5488661-\$ or US-4642424-\$).did.) and modulo\$10 with select\$3 @ad<20010214	USPAT; US-PGPUB;	2004/09/22 09:00
_	249	@ad<20010214 and modulo\$10 same select\$4 same key	EPO; IBM_TDB USPAT; US-PGPUB; EPO;	2004/09/22 09:02
_	102	@ad<20010214 and modulo\$10 same key with (storage bank list store)	IBM_TDB USPAT; US-PGPUB; EPO; IBM_TDB	2004/09/22 09:24

-	1417	@ad<20010214 and modulo\$10 with select\$3		2004/09/22 09:24
1	}		US-PGPUB;	
			EPO;	
	F.0	0-4<20010214 and modul=0101+04	IBM_TDB	
-	50	@ad<20010214 and modulo\$10 same select\$4 same keys!	·	2004/09/22 09:02
ļ		Same keys:	US-PGPUB; EPO;	
			IBM TDB	
_	61	@ad<20010214 and modulo\$10 with select\$3		2004/09/22 09:34
		with key	US-PGPUB;	2001,03,42 03.01
		-	EPO;	
			IBM_TDB	
-	42	@ad<20010214 and modulo\$10 with key with		2004/09/22 09:34
		(storage bank list store)	US-PGPUB;	
			EPO;	İ
	32	@ad<20010214 and modulus with select\$3	IBM_TDB	2004/09/22 09:35
-	32	with key	USPAT; US-PGPUB;	2004/09/22 09:35
		with key	EPO;	
			IBM TDB	
-	25	@ad<20010214 and modulus with key with	- · · · <u>-</u> · · -	2004/09/22 12:17
		(storage bank list store)	US-PGPUB;	
			EPO;	
			IBM TDB	